



HUNTER PLASTICS LTD.  
 NATHAN WAY  
 LONDON  
 SE28 0AE  
 Tel.: 020 8855 9851  
 Fax: 020 8316 2319  
 e-mail: hunplas@hunterplastics.co.uk  
 Web site: <http://www.hunterplastics.co.uk>

The information contained within this data sheet has been supplied by the product manufacturer

<b>1. Identification of the Substance</b>	
Product Name	Silicone Aerosol Spray
Hunter Plastics product Code	SC967
<b>2. Composition/Information on Ingredients</b>	
Chemical Nature	Aerosol of Silicone oil in aliphatic hydrocarbon.
Hazardous nature	Highly Flammable and toxic.
Hazard symbol	F, Xn.
<b>3. Hazard Identification</b>	
Nature of hazard	Highly Flammable and toxic. Pressurised container: Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn even after use. Do not spray on a naked flame or any incandescent material. Ensure adequate ventilation when in use. Keep out of the reach of children.
Risk phrases	R43.
Safety phrases	S 24/29/33.
<b>4. First Aid Measures</b>	
Eye contact	Contact lenses should be removed. Irrigate eye with clean water for at least 10 minutes, seek medical advice.
Skin contact	Wash off with soap and water. Remove all contaminated clothing. If in doubt, seek medical advice.
Inhalation	Provide fresh air. In case of feeling unwell seek medical advice.
Ingestion	May be harmful if ingested seek medical advice.
<b>5. Fire Fighting Measures</b>	
Extinguishing media	Carbon dioxide, Foam, Dry Chemical.
Unsuitable extinguishing media	Water.
Unusual fire and explosion hazards	Fire exposed containers should be sprayed with water to lessen risk of explosion. Fire will produce dense black smoke containing combustion products, which may be a health hazard.
Protective equipment	Breathing apparatus and protective clothing.
<b>6. Accidental Release Measures</b>	
Personal precautions	Ventilate area well. Avoid skin and eye contact.
Precautions to protect the environment	None established, do not allow to enter drains. Ozone friendly propellant.
Clean up procedures	Absorb with inert absorbent and dispose of in accordance with local authority regulations. Wash site of spillage with water and detergent.

## 7. Handling and Storage

Handling	Avoid contact with skin and eyes, and avoid inhalation.
Storage	Protect from fire and sources of ignition. Store below 50°C.

## 8. Exposure Control/Personal Protection

Respiratory protection	Required when used in confined or poorly ventilated areas.
Hand protection	Gloves recommended.
Eye protection	Goggles or face mask.
Skin protection	None required.

## 9. Physical and Chemical Properties

Appearance at 20°C	Clear low viscosity fluid.
Odour	Aliphatic hydrocarbon.
Density at 25°C	Approx. 0.85 g/cm <sup>3</sup> .
pH (as is)	Not applicable.
Boiling point at 1013 mbar	Not applicable.
Flash point	0°C after evaporation of propellant gases.
Auto flammability	> 260°C.
Solubility in water	Not soluble.
Freezing point	Not applicable.

## 10. Stability and Reactivity

Conditions to avoid	Keep aerosol below 50°C, keep away from heat sources of ignition and direct sunlight.
Materials to avoid	Oxidizing agents.
Hazardous decomposition products	In contact with flame or hot surfaces chlorine and fluorine products may be produced.
Stability	Stable.

## 11. Toxicological Information

Skin toxicity	Irritating to skin and mucus membranes and may lead to dermatitis.
Eye toxicity	Irritates eyes.
Ingestion toxicity	Not known.
Inhalation toxicity	Irritating to respiratory tract. At high concentration this product may have a narcotic and anaesthetic effect.
Long term exposure effects	Unknown.

## 12. Ecological Information

Biodegradability	Not known.
Aquatic toxicity	Not known.
COD	Not known.

## 13. Disposal Considerations

Method	Dispose of in accordance with local regulations.
--------	--

## 14. Transport Information

E.E.C. Regulations	UNNO	1950		
Road and rail transport (ADR/RID)	Class	2	Item	10 (b t) 1

### 15. Regulatory Information

Classified as a Highly Flammable material.

Labelling Symbol:	F Xn
Risk phrase:	R43
Safety phrase:	S24/29/33
Hazard description:	Highly Flammable

### Other Information

**Manufacturer/Supplier: Basildon Chemical Company Limited**

**Tel: 01235 526677**

**Fax: 01235 524334**

Whilst Basildon Chemicals Company Limited has taken every care to ensure accuracy of the data contained in this document, no guarantee or liability will be assumed. It is recommended that customers satisfy themselves of the suitability of all product purchased for their own use.